

**BLOOD AND PLASMA
BIOLOGICAL PRODUCT DEVIATION CODES
FY03**

CBER enters the fourth level detail code (e.g., A, B, C) into the database as standardized remarks to further describe some of the codes, in particular miscellaneous codes. These codes are not included on the BPD report form.

PD/DS/DD DONOR SUITABILITY

PD--** POST DONATION INFORMATION**

PD-10- Miscellaneous**

PD-10-01 Other

PD-11- Testing**

PD-11-01 Other

PD-11-02 Tested positive for Hepatitis B post donation

PD-11-03 Tested positive for Hepatitis B prior to donation

PD-11-04 Tested positive for Hepatitis C post donation

PD-11-05 Tested positive for Hepatitis C prior to donation

PD-11-06 Tested positive for HIV post donation

PD-11-07 Tested positive for HIV prior to donation

PD-11-08 Tested positive for HTLV I/II post donation

PD-11-09 Tested positive for HTLV I/II prior to donation

PD-11-10 Tested positive for sexually transmitted disease post donation

PD-11-11 Tested positive for sexually transmitted disease prior to donation

PD-11-12 Tested positive for hepatitis not specified, post donation

PD-11-13 Tested positive for hepatitis not specified, prior to donation

PD-11-14 Tested positive at another center, specific testing unknown

PD-11-15 Tested positive for Hepatitis A post donation

PD-11-16 Tested positive for Hepatitis A prior to donation

PD-11-17 Elevated ALT post donation

PD-11-18 Elevated ALT prior to donation

PD-12- Behavior/History**

PD-12-01 Other

A - Unknown

B - Sex partner unsuitable (tested positive, history of jaundice)

C - Unacceptable address

D - Rape

PD-12-02 History of hepatitis not specified

PD-12-03 History of jaundice

PD-12-04 History of Hepatitis B

PD-12-05 History of Hepatitis C

PD-12-06 Sexually transmitted disease

PD-12-07 Sex partner has or had a sexually transmitted disease

PD-12-08 Sex partner tested positive for HIV

PD-12-09 Sex partner tested positive for HTLV I/II

PD-12-10 Sex partner tested positive for HBV

PD-12-11 Sex partner tested positive for HCV
PD-12-12 Sex partner tested positive for hepatitis, not specified
PD-12-13 Sex partner engaged in high risk behavior
PD-12-14 Male donor had sex with another man
PD-12-15 Female had sex with a man who had sex with another man
PD-12-16 IV drug use
PD-12-17 Sex with IV drug user
PD-12-18 Non-IV-drug use
PD-12-19 Sex partner used non-IV drugs
PD-12-20 Donor lived in or immigrated from an HIV Group O risk area
PD-12-21 Sex partner lived in or immigrated from an HIV Group O risk area
PD-12-22 Exchanged sex for drugs or money
PD-12-23 Sex partner exchanged sex for drugs or money
PD-12-24 Donor received tattoo
PD-12-25 Donor received ear piercing
PD-12-26 Donor received body piercing
PD-12-27 Donor received accidental needlestick
PD-12-28 Donor received transfusion or clotting factors
PD-12-29 Donor received bone graft or transplant
PD-12-30 Donor was exposed to blood or body fluids
 A - Acupuncture
 B - Animal bite
 C - Human bite
PD-12-31 Donor had multiple blood or body fluid exposures
 A - Tattoo and piercing
PD-12-32 Non-sexual exposure to HIV
PD-12-33 Non-sexual exposure to hepatitis, type not specified
PD-12-34 Non-sexual exposure to Hepatitis B
PD-12-35 Non-sexual exposure to Hepatitis C
PD-12-36 Travel to malaria endemic area/history of malaria
PD-12-37 History of disease or surgery
PD-12-38 History of cancer
PD-12-39 History of Creutzfeldt-Jakob Disease
PD-12-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
PD-12-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
PD-12-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
PD-12-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
PD-12-44 Received growth hormone
PD-12-45 Received Proscar, Tegison or Accutane
PD-12-46 Received medication or antibiotics
PD-12-47 Received vaccine or immune globulin
PD-12-48 Exposure to a disease
PD-12-49 Incarcerated
PD-12-50 Resided in a rehabilitation center or psychiatric hospital
PD-12-51 History of Hepatitis A
PD-12-52 Exposure to Hepatitis A

- PD-12-53 Multiple high risk behaviors/contacts
- PD-12-54 Positive drug screen
- PD-12-55 Deferred by another center
- PD-13-** Illness
 - PD-13-01 Post donation illness (not hepatitis, HIV, HTLV-I, STD, cancer or cold/flu related)
 - A - Babesiosis
 - PD-13-02 Post donation diagnosis or symptoms of Hepatitis B
 - PD-13-03 Post donation diagnosis or symptoms of Hepatitis C
 - PD-13-04 Post donation diagnosis or symptoms of HIV
 - PD-13-05 Post donation diagnosis or symptoms of HTLV I/II
 - PD-13-06 Post donation diagnosis or symptoms of sexually transmitted disease
 - PD-13-07 Post donation diagnosis or symptoms of hepatitis, not specified
 - PD-13-08 Post donation diagnosis or symptoms of Hepatitis A
 - PD-13-09 Post donation diagnosis of cancer
- PD-14-** Not specifically related to high risk behavior or unsuitable history
 - PD-14-01 Other
 - PD-14-02 Donor does not want their blood used
 - PD-14-03 Donated to be tested or called back for test results
- DS-**-** DONOR SCREENING
 - DS-20-** Miscellaneous
 - DS-20-01 Other
 - DS-21-** Donor did not meet acceptance criteria
 - DS-21-01 Other
 - DS-21-02 Hemoglobin or Hematocrit unacceptable, not documented, or testing performed incorrectly
 - A – Expired reagents used for QC
 - DS-21-03 Temperature unacceptable or not documented
 - DS-21-04 Medical review or physical not performed or inadequate
 - DS-21-05 Platelet count, no documented platelet count for product
 - DS-21-06 Unexplained weight loss
 - DS-22-** Donor record incomplete or incorrect
 - DS-22-01 Other
 - A - Donor record missing
 - DS-22-02 Donor identification
 - DS-22-03 Donor history questions
 - DS-22-04 Arm inspection
 - DS-22-05 Donor signature missing
 - DS-22-06 Confidential Unit Exclusion (CUE) procedure not performed in accordance with specifications
 - DS-22-07 Donor confidentiality compromised
 - DS-23-** Deferral screening not done
 - DS-23-01 Donor not previously deferred

DS-24-** Deferral screening not done, donor previously deferred due to testing:

DS-24-01 Other

A - Unknown

DS-24-02 HIV reactive

DS-24-03 HBsAg reactive

DS-24-04 Anti-HBc reactive

DS-24-05 Anti-HCV reactive

DS-24-06 Anti-HTLV-I reactive

DS-24-07 ALT elevated

DS-24-08 Syphilis reactive

DS-25-** Deferral screening not done, donor previously deferred due to history

DS-25-01 Other

A - Unknown

B - Sex partner unsuitable (tested positive, history of jaundice)

C - Unacceptable address

D - Rape

DS-25-02 History of hepatitis, not specified

DS-25-03 History of jaundice

DS-25-04 History of Hepatitis B

DS-25-05 History of Hepatitis C

DS-25-06 Sexually transmitted disease

DS-25-07 Sex partner has or had a sexually transmitted disease

DS-25-08 Sex partner tested positive for HIV

DS-25-09 Sex partner tested positive for HTLV I/II

DS-25-10 Sex partner tested positive for HBV

DS-25-11 Sex partner tested positive for HCV

DS-25-12 Sex partner tested positive for hepatitis, not specified

DS-25-13 Sex partner engaged in high risk behavior

DS-25-14 Male donor had sex with another man

DS-25-15 Female had sex with a man who had sex with another man

DS-25-16 IV drug use

DS-25-17 Sex with IV drug user

DS-25-18 Non-IV-drug use

DS-25-19 Sex partner used non-IV drugs

DS-25-20 Donor lived in or immigrated from an HIV Group O risk area

DS-25-21 Sex partner lived in or immigrated from an HIV Group O risk area

DS-25-22 Exchanged sex for drugs or money

DS-25-23 Sex partner exchanged sex for drugs or money

DS-25-24 Donor received tattoo

DS-25-25 Donor received ear piercing

DS-25-26 Donor received body piercing

DS-25-27 Donor received accidental needlestick

DS-25-28 Donor received transfusion or clotting factors

DS-25-29 Donor received bone graft or transplant

DS-25-30 Donor was exposed to blood or body fluids

- A - Acupuncture
- B - Animal bite
- C - Human bite
- DS-25-31 Donor had multiple blood or body fluid exposures
 - A - Tattoo and piercing
- DS-25-32 Non-sexual exposure to HIV
- DS-25-33 Non-sexual exposure to hepatitis, type not specified
- DS-25-34 Non-sexual exposure to Hepatitis B
- DS-25-35 Non-sexual exposure to Hepatitis C
- DS-25-36 Travel to malaria endemic area/history of malaria
- DS-25-37 History of disease or surgery
- DS-25-38 History of cancer
- DS-25-39 History of Creutzfeldt-Jakob Disease
- DS-25-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DS-25-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-25-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- DS-25-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- DS-25-44 Received growth hormone
- DS-25-45 Received Proscar, Tegison or Accutane
- DS-25-46 Received medication or antibiotics
- DS-25-47 Received vaccine or immune globulin
- DS-25-48 Exposure to a disease
- DS-25-49 Incarcerated
- DS-25-50 Resided in a rehabilitation center or psychiatric hospital
- DS-25-51 History of Hepatitis A
- DS-25-52 Exposure to Hepatitis A
- DS-25-53 Multiple high risk behaviors/contacts
- DS-25-54 Positive drug screen
- DS-25-55 Deferred by another center
- DS-26-** Incorrect ID used during deferral search
 - DS-26-01 donor not previously deferred
- DS-27-** Incorrect ID used during deferral search, donor previously deferred due to testing
 - DS-27-01 Other
 - A - Unknown
 - DS-27-02 HIV reactive
 - DS-27-03 HBsAg reactive
 - DS-27-04 Anti-HBc reactive
 - DS-27-05 Anti-HCV reactive
 - DS-27-06 Anti-HTLV-I reactive
 - DS-27-07 ALT elevated
 - DS-27-08 Syphilis reactive
- DS-28-** Incorrect ID used during deferral search, donor previously deferred due to history
 - DS-28-01 Other
 - A - Unknown

- B - Sex partner unsuitable (tested positive, history of jaundice)
- C - Unacceptable address
- D - Rape
- DS-28-02 History of hepatitis, not specified
- DS-28-03 History of jaundice
- DS-28-04 History of Hepatitis B
- DS-28-05 History of Hepatitis C
- DS-28-06 Sexually transmitted disease
- DS-28-07 Sex partner has or had a sexually transmitted disease
- DS-28-08 Sex partner tested positive for HIV
- DS-28-09 Sex partner tested positive for HTLV I/II
- DS-28-10 Sex partner tested positive for HBV
- DS-28-11 Sex partner tested positive for HCV
- DS-28-12 Sex partner tested positive for hepatitis, not specified
- DS-28-13 Sex partner engaged in high risk behavior
- DS-28-14 Male donor had sex with another man
- DS-28-15 Female had sex with a man who had sex with another man
- DS-28-16 IV drug use
- DS-28-17 Sex with IV drug user
- DS-28-18 Non-IV-drug use
- DS-28-19 Sex partner used non-IV drugs
- DS-28-20 Donor lived in or immigrated from an HIV Group O risk area
- DS-28-21 Sex partner lived in or immigrated from an HIV Group O risk area
- DS-28-22 Exchanged sex for drugs or money
- DS-28-23 Sex partner exchanged sex for drugs or money
- DS-28-24 Donor received tattoo
- DS-28-25 Donor received ear piercing
- DS-28-26 Donor received body piercing
- DS-28-27 Donor received accidental needlestick
- DS-28-28 Donor received transfusion or clotting factors
- DS-28-29 Donor received bone graft or transplant
- DS-28-30 Donor was exposed to blood or body fluids
 - A - Acupuncture
 - B - Animal bite
 - C - Human bite
- DS-28-31 Donor had multiple blood or body fluid exposures
 - A - Tattoo and piercing
- DS-28-32 Non-sexual exposure to HIV
- DS-28-33 Non-sexual exposure to hepatitis, type not specified
- DS-28-34 Non-sexual exposure to Hepatitis B
- DS-28-35 Non-sexual exposure to Hepatitis C
- DS-28-36 Travel to malaria endemic area/history of malaria
- DS-28-37 History of disease or surgery
- DS-28-38 History of cancer
- DS-28-39 History of Creutzfeldt-Jakob Disease
- DS-28-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery

- DS-28-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-28-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- DS-28-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- DS-28-44 Received growth hormone
- DS-28-45 Received Proscar, Tegison or Accutane
- DS-28-46 Received medication or antibiotics
- DS-28-47 Received vaccine or immune globulin
- DS-28-48 Exposure to a disease
- DS-28-49 Incarcerated
- DS-28-50 Resided in a rehabilitation center or psychiatric hospital
- DS-28-51 History of Hepatitis A
- DS-28-52 Exposure to Hepatitis A
- DS-28-53 Multiple high risk behaviors/contacts
- DS-28-54 Positive drug screen
- DS-28-55 Deferred by another center
- DS-29-** Donor gave history which warranted deferral and was not deferred
- DS-29-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - C - Unacceptable address
 - D - Rape
- DS-29-02 History of hepatitis, not specified
- DS-29-03 History of jaundice
- DS-29-04 History of Hepatitis B
- DS-29-05 History of Hepatitis C
- DS-29-06 Sexually transmitted disease
- DS-29-07 Sex partner has or had a sexually transmitted disease
- DS-29-08 Sex partner tested positive for HIV
- DS-29-09 Sex partner tested positive for HTLV I/II
- DS-29-10 Sex partner tested positive for HBV
- DS-29-11 Sex partner tested positive for HCV
- DS-29-12 Sex partner tested positive for hepatitis, not specified
- DS-29-13 Sex partner engaged in high risk behavior
- DS-29-14 Male donor had sex with another man
- DS-29-15 Female had sex with a man who had sex with another man
- DS-29-16 IV drug use
- DS-29-17 Sex with IV drug user
- DS-29-18 Non-IV-drug use
- DS-29-19 Sex partner used non-IV drugs
- DS-29-20 Donor lived in or immigrated from an HIV Group O risk area
- DS-29-21 Sex partner lived in or immigrated from an HIV Group O risk area
- DS-29-22 Exchanged sex for drugs or money
- DS-29-23 Sex partner exchanged sex for drugs or money
- DS-29-24 Donor received tattoo
- DS-29-25 Donor received ear piercing
- DS-29-26 Donor received body piercing

DS-29-27 Donor received accidental needlestick
DS-29-28 Donor received transfusion or clotting factors
DS-29-29 Donor received bone graft or transplant
DS-29-30 Donor was exposed to blood or body fluids
 A - Acupuncture
 B - Animal bite
 C - Human bite
DS-29-31 Donor had multiple blood or body fluid exposures
 A - Tattoo and piercing
DS-29-32 Non-sexual exposure to HIV
DS-29-33 Non-sexual exposure to hepatitis, type not specified
DS-29-34 Non-sexual exposure to Hepatitis B
DS-29-35 Non-sexual exposure to Hepatitis C
DS-29-36 Travel to malaria endemic area/history of malaria
DS-29-37 History of disease or surgery
DS-29-38 History of cancer
DS-29-39 History of Creutzfeldt-Jakob Disease
DS-29-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DS-29-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DS-29-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DS-29-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
DS-29-44 Received growth hormone
DS-29-45 Received Proscar, Tegison or Accutane
DS-29-46 Received medication or antibiotics
DS-29-47 Received vaccine or immune globulin
DS-29-48 Exposure to a disease
DS-29-49 Incarcerated
DS-29-50 Resided in a rehabilitation center or psychiatric hospital
DS-29-51 History of Hepatitis A
DS-29-52 Exposure to Hepatitis A
DS-29-53 Multiple high risk behaviors/contacts
DS-29-54 Positive drug screen
DS-29-55 Deferred by another center

DD-**-** DONOR DEFERRAL

DD-30-**-** Miscellaneous

DD-30-01 Other

DD-31-**-** Donor missing or incorrectly identified on deferral list, donor was or should have been previously deferred due to testing:

DD-31-01 Other

A - Unknown

DD-31-02 HIV reactive

DD-31-03 HBsAg reactive

DD-31-04 Anti-HBc reactive

DD-31-05 Anti-HCV reactive

- DD-31-06 Anti-HTLV-I reactive
- DD-31-07 ALT elevated
- DD-31-08 Syphilis reactive
- DD-32-** Donor missing or incorrectly identified on deferral list, donor was or should have been previously deferred due to history:
 - DD-32-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - C - Unacceptable address
 - D - Rape
 - DD-32-02 History of hepatitis, not specified
 - DD-32-03 History of jaundice
 - DD-32-04 History of Hepatitis B
 - DD-32-05 History of Hepatitis C
 - DD-32-06 Sexually transmitted disease
 - DD-32-07 Sex partner has or had sexually transmitted disease
 - DD-32-08 Sex partner tested positive for HIV
 - DD-32-09 Sex partner tested positive for HTLV I/II
 - DD-32-10 Sex partner tested positive for HBV
 - DD-32-11 Sex partner tested positive for HCV
 - DD-32-12 Sex partner tested positive for hepatitis, not specified
 - DD-32-13 Sex partner engaged in high risk behavior
 - DD-32-14 Male donor had sex with another man
 - DD-32-15 Female had sex with a man who had sex with another man
 - DD-32-16 IV drug use
 - DD-32-17 Sex with IV drug user
 - DD-32-18 Non-IV-drug use
 - DD-32-19 Sex partner used non-IV drugs
 - DD-32-20 Donor lived in or immigrated from an HIV Group O risk area
 - DD-32-21 Sex partner lived in or immigrated from an HIV Group O risk area
 - DD-32-22 Exchanged sex for drugs or money
 - DD-32-23 Sex partner exchanged sex for drugs or money
 - DD-32-24 Donor received tattoo
 - DD-32-25 Donor received ear piercing
 - DD-32-26 Donor received body piercing
 - DD-32-27 Donor received accidental needlestick
 - DD-32-28 Donor received transfusion or clotting factors
 - DD-32-29 Donor received bone graft or transplant
 - DD-32-30 Donor was exposed to blood or body fluids
 - A - Acupuncture
 - B - Animal bite
 - C - Human bite
 - DD-32-31 Donor had multiple blood or body fluid exposures
 - A - Tattoo and piercing
 - DD-32-32 Non-sexual exposure to HIV
 - DD-32-33 Non-sexual exposure to hepatitis, type not specified

- DD-32-34 Non-sexual exposure to Hepatitis B
- DD-32-35 Non-sexual exposure to Hepatitis C
- DD-32-36 Travel to malaria endemic area/history of malaria
- DD-32-37 History of disease or surgery
- DD-32-38 History of cancer
- DD-32-39 History of Creutzfeldt-Jakob Disease
- DD-32-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DD-32-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DD-32-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- DD-32-43 Risk factors associated with Creutzfeldt-Jakob Disease -received insulin
- DD-32-44 Received growth hormone
- DD-32-45 Received Proscar, Tegison or Accutane
- DD-32-46 Received medication or antibiotics
- DD-32-47 Received vaccine or immune globulin
- DD-32-48 Exposure to a disease
- DD-32-49 Incarcerated
- DD-32-50 Resided in a rehabilitation center or psychiatric hospital
- DD-32-51 History of Hepatitis A
- DD-32-52 Exposure to Hepatitis A
- DD-32-53 Multiple high risk behaviors/contacts
- DD-32-54 Positive drug screen
- DD-32-55 Deferred by another center
- DD-34-** Donor incorrectly deleted from deferral list or donor not reentered properly, donor previously deferred due to testing:
 - DD-34-01 Other
 - A - Unknown
 - DD-34-02 HIV reactive
 - DD-34-03 HBsAg reactive
 - DD-34-04 Anti-HBc reactive
 - DD-34-05 Anti-HCV reactive
 - DD-34-06 Anti-HTLV-I reactive
 - DD-34-07 ALT elevated
 - DD-34-08 Syphilis reactive
- DD-35-** Donor incorrectly deleted from deferral list, donor previously deferred due to history:
 - DD-35-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - C - Unacceptable address
 - D - Rape
 - DD-35-02 History of hepatitis, not specified
 - DD-35-03 History of jaundice
 - DD-35-04 History of Hepatitis B
 - DD-35-05 History of Hepatitis C
 - DD-35-06 Sexually transmitted disease
 - DD-35-07 Sex partner has or had a sexually transmitted disease

DD-35-08 Sex partner tested positive for HIV
DD-35-09 Sex partner tested positive for HTLV I/II
DD-35-10 Sex partner tested positive for HBV
DD-35-11 Sex partner tested positive for HCV
DD-35-12 Sex partner tested positive for hepatitis, not specified
DD-35-13 Sex partner engaged in high risk behavior
DD-35-14 Male donor had sex with another man
DD-35-15 Female had sex with a man who had sex with another man
DD-35-16 IV drug use
DD-35-17 Sex with IV drug user
DD-35-18 Non-IV-drug use
DD-35-19 Sex partner used non-IV drugs
DD-35-20 Donor lived in or immigrated from an HIV Group O risk area
DD-35-21 Sex partner lived in or immigrated from an HIV Group O risk area
DD-35-22 Exchanged sex for drugs or money
DD-35-23 Sex partner exchanged sex for drugs or money
DD-35-24 Donor received tattoo
DD-35-25 Donor received ear piercing
DD-35-26 Donor received body piercing
DD-35-27 Donor received accidental needlestick
DD-35-28 Donor received transfusion or clotting factors
DD-35-29 Donor received bone graft or transplant
DD-35-30 Donor was exposed to blood or body fluids
 A - Acupuncture
 B - Animal bite
 C - Human bite
DD-35-31 Donor had multiple blood or body fluid exposures
 A - Tattoo and piercing
DD-35-32 Non-sexual exposure to HIV
DD-35-33 Non-sexual exposure to hepatitis, type not specified
DD-35-34 Non-sexual exposure to Hepatitis B
DD-35-35 Non-sexual exposure to Hepatitis C
DD-35-36 Travel to malaria endemic area/history of malaria
DD-35-37 History of disease or surgery
DD-35-38 History of cancer
DD-35-39 History of Creutzfeldt-Jakob Disease
DD-35-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DD-35-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DD-35-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DD-35-43 Risk factors associated with Creutzfeldt-Jakob Disease -received insulin
DD-35-44 Received growth hormone
DD-35-45 Received Proscar, Tegison or Accutane
DD-35-46 Received medication or antibiotics
DD-35-47 Received vaccine or immune globulin
DD-35-48 Exposure to a disease
DD-35-49 Incarcerated

- DD-35-50 Resided in a rehabilitation center or psychiatric hospital
- DD-35-51 History of Hepatitis A
- DD-35-52 Exposure to Hepatitis A
- DD-35-53 Multiple high risk behaviors/contacts
- DD-35-54 Positive drug screen
- DD-35-55 Deferred by another center

BC--** BLOOD COLLECTION**

- BC-40-**-** Miscellaneous
 - BC-40-01 Other
- BC-41-**-** Sterility compromised
 - BC-41-01 Other
 - BC-41-02 Bacterial contamination
 - BC-41-03 Air contamination
 - BC-41-04 Arm prep not performed or performed inappropriately
- BC-42-**-** Collection bag
 - BC-42-01 Other
 - BC-42-02 Blood drawn into outdated bag
 - BC-42-03 Incorrect anticoagulant
 - BC-42-04 Outdated anticoagulant
 - BC-42-05 Potential collection set (bag, tubing) defect (e.g., product leaking)
 - BC-42-06 Incorrect collection bag used (e.g., 500 ml bag instead of 450ml bag)
- BC-43-**-** Collection process
 - BC-43-01 Other
 - BC-43-02 Collection time extended, discrepant, or not documented; not discovered prior to component preparation
 - BC-43-03 Overbleed; not discovered prior to component preparation
 - BC-43-04 Collection status not documented or discrepant
 - BC-43-05 Product contained clots, not discovered prior to distribution
 - BC-43-06 Product hemolyzed, not discovered prior to distribution
 - BC-43-07 Source Plasma from two different donors pooled into one pooling bottle
- BC-44-**-** Apheresis collection device
 - BC-44-01 Other
 - BC-44-02 Device defect
 - BC-44-03 Softgoods defect (bags, tubing, etc)

CP--** COMPONENT PREPARATION**

- CP-50-**-** Miscellaneous
 - CP-50-01 Other
- CP-51-**-** Sterility compromised
 - CP-51-01 Other
 - CP-51-02 Bacterial contamination
 - CP-51-03 Air contamination
 - CP-51-04 Product integrity compromised during component preparation (e.g., leaking at sterile connection site)
- CP-52-**-** Component not prepared in accordance with specifications

- CP-52-01 Other
- CP-52-02 Platelets made from Whole Blood collected from donor who took medication that may affect platelet function
- CP-52-03 Resting time requirements not met for Platelets
- CP-52-04 Platelets not agitated
- CP-52-05 Platelet count or platelet yield not acceptable or platelet count not performed on Platelet product
- CP-52-06 Processed at incorrect centrifuge setting
- CP-52-07 Product not frozen within the appropriate time frame or freezing time not documented
- CP-52-08 Product prepared at incorrect temperature or held at incorrect temperature during component preparation
- CP-52-09 Washing/deglycerolization not performed in accordance with specifications
- CP-52-10 Leukoreduction not performed in accordance with specifications
- CP-52-11 Irradiation not performed in accordance with specifications
- CP-52-12 Components not prepared within appropriate time frame after collection
- CP-52-13 Additive solution not added, added incorrectly, or added to incorrect product
- CP-52-14 Thawing frozen product not performed in accordance with specifications
- CP-52-15 Pooling not performed in accordance with specifications
- CP-52-16 Aliquot preparation not performed in accordance with specifications
- CP-53-** Component prepared from Whole Blood unit that was
 - CP-53-01 Other
 - CP-53-02 Overweight
 - CP-53-03 Underweight
 - CP-53-04 Collected or stored at unacceptable or undocumented temperature
 - CP-53-05 A difficult collection or had an extended collection time
- CP-54-** Component manufactured that was
 - CP-54-01 Other
 - CP-54-02 Overweight
 - CP-54-03 Underweight

VT/RT LABORATORY TESTING

VT-**-** VIRAL TESTING

VT-70-** Miscellaneous

VT-70-01 Other

VT-71-** Testing performed incorrectly for:

VT-71-01 HBsAg

VT-71-02 Anti-HIV-1

VT-71-03 Anti-HIV-2

VT-71-04 Anti-HIV-1/2

VT-71-05 HIV Antigen

VT-71-06 Syphilis

VT-71-07 Anti-HTLV-I/II

VT-71-08 Anti-HBc

VT-71-09 ALT
VT-71-10 Anti-HCV
VT-71-11 More than 1 test, e.g., all viral markers
 A. All viral markers
VT-71-12 Cytomegalovirus
VT-71-13 HIV Nucleic Acid Test (NAT)
VT-71-14 HCV Nucleic Acid Test (NAT)
VT-71-15 HIV/HCV Nucleic Acid Test (NAT)
VT-72-** Sample identification
 VT-72-01 Other
 VT-72-02 Incorrect sample tested
 VT-72-03 Sample used for testing was incorrectly or incompletely labeled
 VT-72-04 Unsuitable sample used for testing

RT-**-** ROUTINE TESTING

RT-60-** Miscellaneous
 RT-60-01 Other
RT-61-** Testing performed incorrectly for:
 RT-61-01 Other
 RT-61-02 ABO
 RT-61-03 Rh
 RT-61-04 ABO & Rh
 RT-61-05 Antibody screening or identification
 RT-61-06 Antigen typing
 RT-61-07 Platelet count
 RT-61-08 Compatibility
 RT-61-09 ABO, Rh, and antibody screen
 RT-61-10 ABO, Rh, antibody screen, and compatibility
 RT-61-11 Antibody screen and compatibility
RT-62-** Sample identification
 RT-62-01 Other
 RT-62-02 Incorrect sample tested
 RT-62-03 Sample used for testing was incorrectly or incompletely labeled
 RT-62-04 Unsuitable sample used for testing (e.g., too old)
RT-63-** Testing performed using reagents in which QC was unacceptable or
expired reagents were used
 RT-63-01 Other
 RT-63-02 ABO
 RT-63-03 Rh
 RT-63-04 ABO & Rh
 RT-63-05 Antibody screening or identification
 RT-63-06 Antigen typing
 RT-63-07 Multiple testing

LA-**-** LABELING

LA-80-** Miscellaneous

- LA-80-01 Other
- LA-81-** Labels applied to blood unit incorrect or missing information
 - LA-81-01 Other
 - A - Volunteer donor
 - LA-81-02 ABO and/or Rh incorrect
 - LA-81-03 ABO and/or Rh missing
 - LA-81-04 Product type incorrect (e.g., RBC labeled as Whole Blood)
 - LA-81-05 Product type missing
 - LA-81-06 Extended expiration date or time
 - LA-81-07 Missing expiration date or time
 - LA-81-08 Anticoagulant incorrect or missing
 - LA-81-09 Donor number incorrect or missing
 - LA-81-10 Multiple labels incorrect or missing
 - LA-81-11 Volume or weight incorrect or missing
 - LA-81-12 Irradiation status incorrect or missing
 - LA-81-13 Leukoreduction status incorrect or missing
 - LA-83-14 Irradiation and leukoreduction status incorrect or missing
- LA-82-** Crossmatch tag or tie tag labels incorrect or missing information
 - LA-82-01 Other
 - A - Hemoglobin S
 - LA-82-02 Unit ABO and/or Rh incorrect or missing
 - A - Also transfusion record
 - LA-82-03 Recipient ABO and/or Rh incorrect or missing
 - A - Also transfusion record
 - LA-82-04 Product type incorrect or missing
 - A - Also transfusion record
 - LA-82-05 Expiration date or time extended or missing
 - A - Also transfusion record
 - LA-82-06 Unit or pool number incorrect or missing
 - A - Also transfusion record
 - LA-82-07 Recipient identification incorrect or missing
 - A - Also transfusion record
 - B - Autologous
 - LA-82-08 Antigen incorrect or missing
 - A - Also transfusion record
 - LA-82-09 Antibody incorrect or missing
 - A - Also transfusion record
 - LA-82-10 Platelet count incorrect or missing
 - A - Also transfusion record
 - LA-82-11 HLA type incorrect or missing
 - A - Also transfusion record
 - LA-82-12 Volume or weight incorrect or missing
 - A - Also transfusion record
 - LA-82-13 CMV status incorrect or missing
 - A - Also transfusion record
 - LA-82-14 Irradiation status incorrect or missing

- A - Also transfusion record
- LA-82-15 Leukoreduced status incorrect or missing
 - A - Also transfusion record
- LA-82-16 Crossmatch tag switched, both units intended for the same patient
 - A - Also transfusion record
- LA-82-17 Crossmatch tag incorrect or missing
 - A - Also transfusion record
- LA-82-18 Biohazard or test status incorrect or missing
 - A - Also transfusion record
- LA-82-19 Multiple labels incorrect or missing
 - A - Also transfusion record
- LA-83-** Transfusion record (crossmatch slip) incorrect or missing information
 - LA-83-01 Other
 - LA-83-02 Unit ABO and/or Rh incorrect or missing
 - LA-83-03 Recipient ABO and/or Rh incorrect or missing
 - LA-83-04 Product type incorrect or missing
 - LA-83-05 Expiration date or time extended or missing
 - LA-83-06 Unit or pool number incorrect or missing
 - LA-83-07 Recipient identification incorrect or missing
 - LA-83-08 Antigen incorrect or missing
 - LA-83-09 Antibody incorrect or missing
 - LA-83-10 Platelet count incorrect or missing
 - LA-83-11 HLA type incorrect or missing
 - LA-83-12 Volume or weight incorrect or missing
 - LA-83-13 CMV status incorrect or missing
 - LA-83-14 Irradiation status incorrect or missing
 - LA-83-15 Leukoreduced status incorrect or missing
 - LA-83-16 Transfusion records switched, both units intended for the same patient
 - LA-83-17 Incorrect transfusion record released with unit (e.g., intended for different patient)
 - LA-83-18 Biohazard or test status incorrect or missing
 - LA-83-19 Multiple labels incorrect or missing
- QC-**-** QUALITY CONTROL and DISTRIBUTION
 - QC-90-** Miscellaneous
 - QC-90-01 Other
 - QC-91-** Failure to quarantine unit due to medical history:
 - QC-91-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - C - Unacceptable address
 - D - Rape
 - QC-91-02 History of hepatitis, not specified
 - QC-91-03 History of jaundice
 - QC-91-04 History of Hepatitis B
 - QC-91-05 History of Hepatitis C

- QC-91-06 Sexually transmitted disease
- QC-91-07 Sex partner has or had a sexually transmitted disease
- QC-91-08 Sex partner tested positive for HIV
- QC-91-09 Sex partner tested positive for HTLV I/II
- QC-91-10 Sex partner tested positive for HBV
- QC-91-11 Sex partner tested positive for HCV
- QC-91-12 Sex partner tested positive for hepatitis, not specified
- QC-91-13 Sex partner engaged in high risk behavior
- QC-91-14 Male donor had sex with another man
- QC-91-15 Female had sex with a man who had sex with another man
- QC-91-16 IV drug use
- QC-91-17 Sex with IV drug user
- QC-91-18 Non-IV-drug use
- QC-91-19 Sex partner used non-IV drugs
- QC-91-20 Donor lived in or immigrated from an HIV Group O risk area
- QC-91-21 Sex partner lived in or immigrated from an HIV Group O risk area
- QC-91-22 Exchanged sex for drugs or money
- QC-91-23 Sex partner exchanged sex for drugs or money
- QC-91-24 Donor received tattoo
- QC-91-25 Donor received ear piercing
- QC-91-26 Donor received body piercing
- QC-91-27 Donor received accidental needlestick
- QC-91-28 Donor received transfusion or clotting factors
- QC-91-29 Donor received bone graft or transplant
- QC-91-30 Donor was exposed to blood or body fluids
 - A - Acupuncture
 - B - Animal bite
 - C - Human bite
- QC-91-31 Donor had multiple blood or body fluid exposures
 - A - Tattoo and piercing
- QC-91-32 Non-sexual exposure to HIV
- QC-91-33 Non-sexual exposure to hepatitis, type not specified
- QC-91-34 Non-sexual exposure to Hepatitis B
- QC-91-35 Non-sexual exposure to Hepatitis C
- QC-91-36 Travel to malaria endemic area/history of malaria
- QC-91-37 History of disease or surgery
- QC-91-38 History of cancer
- QC-91-39 History of Creutzfeldt-Jakob Disease
- QC-91-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- QC-91-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- QC-91-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- QC-91-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- QC-91-44 Received growth hormone
- QC-91-45 Received Proscar, Tegison or Accutane
- QC-91-46 Received medication or antibiotics
- QC-91-47 Received vaccine or immune globulin

- QC-91-48 Exposure to a disease
- QC-91-49 Incarcerated
- QC-91-50 Resided in a rehabilitation center or psychiatric hospital
- QC-91-51 History of Hepatitis A
- QC-91-52 Exposure to Hepatitis A
- QC-91-53 Multiple high risk behaviors/contacts
- QC-91-54 Positive drug screen
- QC-91-55 Deferred by another center
- QC-91-56 Post donation illness
- QC-92-** Required testing incomplete or positive for:
 - QC-92-01 Other
 - QC-92-02 HIV
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-03 HBsAg
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-04 Anti-HBc
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-05 Anti-HCV
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-06 Anti-HTLV-I
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-07 ALT
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-08 ABO
 - A – Donor/unit
 - B - Recipient
 - QC-92-09 Rh
 - A – Donor/unit
 - B - Recipient
 - QC-92-10 Antibody screen or identification
 - A – Donor/unit
 - B - Recipient
 - QC-92-11 Antigen screen
 - QC-92-12 Syphilis
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-13 All viral markers
 - QC-92-14 Compatibility
 - QC-92-15 HIV/HCV Nucleic Acid Test (NAT)
- QC-93-** Required testing not performed or documented for:

- QC-93-01 Other
 - A - Hemoglobin S
 - B - Drug screen
- QC-93-02 HIV
- QC-93-03 HBsAg
- QC-93-04 Anti-HBc
- QC-93-05 Anti-HCV
- QC-93-06 Anti-HTLV-I
- QC-93-07 ALT
- QC-93-08 ABO
 - A - Donor/unit
 - B - Recipient
- QC-93-09 Rh
 - A - Donor/unit
 - B - Recipient
- QC-93-10 Antibody screen or identification
 - A - Donor/unit
 - B - Recipient
- QC-93-11 Antigen screen
- QC-93-12 Syphilis
- QC-93-13 All viral markers
- QC-93-14 Compatibility
- QC-93-15 HIV/HCV Nucleic Acid Test (NAT)
- QC-94-** Inappropriate release of:
 - QC-94-01 Other
 - QC-94-02 Outdated product
 - QC-94-03 Autologous unit not meeting homologous criteria
 - QC-94-04 Product with unacceptable, undocumented, or incomplete product QC
 - A - Platelet count
 - B - Hematocrit
 - C - RBC recovery
 - D - Absolute red cell volume
 - E - WBC count
 - F - pH
 - QC-94-05 Product in which specification other than QC not met
 - QC-94-06 Product in which instrument QC or validation was unacceptable, incomplete, or not documented
 - QC-94-08 Product prior to resolution of discrepancy
 - QC-94-09 Product associated with product that contained clots or hemolysis
 - QC-94-12 Product identified as unsuitable due to a collection deviation or unexpected event
 - QC-94-13 Product identified as unsuitable due to a component preparation deviation or unexpected event
 - QC-94-14 Product identified as unsuitable due to a labeling deviation or unexpected event

QC-94-15 Product identified as unsuitable due to a donor screening deviation or unexpected event

QC-94-16 Product identified as unsuitable due to a donor deferral deviation or unexpected event

QC-96-** Shipping and storage

QC-96-01 Other

QC-96-02 Shipped at incorrect temperature

QC-96-03 Stored at incorrect temperature

QC-96-04 No documentation that product was shipped at appropriate temperature

QC-96-05 Temperature not recorded upon receipt, unit redistributed

QC-96-06 Shipment exceeded time allowed for shipping, unit redistributed

QC-96-07 Product not packaged in accordance with specifications

QC-97-** Distribution procedure not performed in accordance with blood bank transfusion service's specifications

QC-97-01 Other

QC-97-02 Product not irradiated as required

QC-97-03 Product issued to wrong patient

QC-97-04 Improper product selected for patient

QC-97-05 Improper ABO or Rh type selected for patient

QC-97-06 Product not leukoreduced as required

QC-97-07 Product released prior to obtaining current sample for ABO, Rh, antibody screen and/or compatibility testing

QC-97-08 Product not CMV negative as required

QC-97-10 Filter not issued with product or incorrect filter issued

QC-97-11 Product not irradiated and leukoreduced as required

QC-97-12 Product not irradiated and CMV negative as required

QC-97-13 Procedure for issuing not performed or documented in accordance with specifications

QC-97-14 ABO and/or Rh retype of unit not performed or performed incorrectly

QC-97-15 Visual inspection not performed or documented

QC-97-16 Product inspected and accepted upon receipt from blood center, subsequently discovered to be hemolyzed

MI-**-** MISCELLANEOUS

MI-00-** Miscellaneous

MI-00-01 Other

MI-01-** Donor implicated in transfusion associated disease

MI-01-01 Other

MI-01-02 HIV

MI-01-03 Hepatitis

MI-02-** Lookback; subsequent unit tested confirmed positive for:

MI-02-01 Other

MI-02-02 HIV

MI-02-04 HCV